Colloids and Surfaces, 36 (1989) 475–477
Elsevier Science Publishers B.V., Amsterdam — Printed in The Netherlands

Contents

(Abstracted/indexed in: Chemical Abstracts; Current Contents: Physical, Chemical and Earth Sciences; INSPEC; PASCAL/CNRS)

VOLUME 36 (1989)

Properties of mixed bilayers of hydrocarbon and fluorocarbon surfactants on monodispersed ferric hydro sols
K. Esumi, Y. Sakamoto, K. Yoshikawa and K. Meguro (Tokyo, Japan) 1

Interfacial tension during mass transfer of decanoic acid from hexane to an aqueous solution containing NaOH
M. Vermeulen and P. Joos (Wilrijk, Belgium) 13

Glycosaminoglycans: inhibition of calcium oxalate crystalline growth and promotion of crystal aggregation
F. Grases, J.J. Gil and A. Conte (Palma de Mallorca, Spain) 29

The effect of electrolytes on the cloud point of mixed solutions of polypropylene glycol and ionic surfactants
F. Xie, C. Ma and T. Gu (Beijing, China) 39

Surface area estimation from the adsorption isotherm gradient at the linear portion by n-butylbenzene vapour
A. Nonaka (Ibaraki, Japan) 49

Study of the silicon nitride/aqueous electrolyte interface on colloidal aqueous suspensions and on electrolyte/insulator/semiconductor structures
N. Jaffrezic-Renault, A. De, P. Clechet (Ecully, France) and A. Maaref (Monastir, Tunisia) 59

Contact angles on charged substrates
L.G.J. Fokkink and J. Ralston (Ingle Farm, Australia) 69

An estimation of surface free energy of galena
B. Biliński and W. Wójcik (Lublin, Poland) 77

Chain conformation of Aerosol OT in water-in-oil microemulsions as studied by laser Raman spectroscopy
T.K. Jain and A. Maitra (Delhi, India) 87

Conformation-controlled network formation of triblock-copolymers in water-in-oil microemulsions
H.-F. Eicke, C. Quellet and G. Xu (Basel, Switzerland) 97

Interrelations between the fibre structure and the relative dyeing properties of NaOH-treated cotton fibres
A. Saafan and A.M. Habib (Tanta, Egypt) 109

Special issue: NMR Spectroscopy in Colloid and Interface Science. A Collection of Papers Presented at an International Conference at Bristol University, Bristol, United Kingdom, 6–8 April 1988.

Preface 117

The mechanism of kaolinite dehydroxylation followed by high resolution ^{27}Al and ^{29}Si NMR
R.C.T. Slade and T.W. Davies (Exeter, United Kingdom) 119

A ^{1}H NMR study of reduced Ru/TiO_2 and TiO_2
P. Jonsen (Sunbury-on-Thames, United Kingdom) 127
Solid-state NMR studies of zeolite catalysts
J. Klinowski (Cambridge, United Kingdom) 133
^{195}Pt NMR studies of supported catalysts
J.P. Bucher, J. Buttet, J.J. van der Klink, M. Graetzel (Lausanne, Switzerland), E. Newson and T.B. Truong (Neuhausen, Switzerland) 155
Brønsted and Lewis acidity of zeolites and related catalysts studied by nuclear magnetic resonance spectroscopy
H. Pfeifer (Leipzig, G.D.R.) 169
NMR studies of phase boundaries using magnetic susceptibility changes: relaxation rates near phase boundaries
M.R. Wormald, D.T. Edmonds and R.J.P. Williams (Oxford, United Kingdom) 179
NMR studies of electrophoretic mobility in surfactant systems
F.M. Coveney, J.H. Strange (Canterbury, United Kingdom), A.L. Smith and E.G. Smith (Bebington, United Kingdom) 193
Orientationally disordered crystals in porous silica: cyclohexane
J.C. Dore, M. Dunn, T. Hasebe and J.H. Strange (Canterbury, United Kingdom) 199
The diffusion of benzene in high silica zeolite ZSM5 studied by PFGNMR and QUENS
M. Morgan, T. Cosgrove and R. Richardson (Bristol, United Kingdom) 209
Observations of diffusion of fluids in porous solids by pulsed field gradient NMR
K.J. Packer and F.O. Zelaya (Sunbury-on-Thames, United Kingdom) 221
Multinuclear NMR characterization of CTAB–hexanol–water, sodium oleate–butanol–water and Triton X-100–decanol–water microemulsions
J.B. Nagy, I. Bodart-Ravet, E.G. Derouane, A. Gourgue and J.P. Verfaillie (Namur, Belgium) 229
Partitioning of chloroform and benzene in a layer of poly(ethylene oxide) anchored on silica
H. Hommel, A.P. Legrand (Paris, France), H. Balard and E. Papirer (Mulhouse, France) 263

End of special issue papers

Surface charge and surface area of cellulose fibres
J. Budd and T.M. Herrington (Reading, United Kingdom) 273
Surface tension measurement while stirring. A tool in unraveling adsorption kinetics
K.J. Mysels and R.E. Stafford (La Jolla, CA, U.S.A.) 289
Streaming potential as a tool in the characterization of ultrafiltration membranes
M. Nyström, M. Lindström (Lappeenranta, Finland) and E. Matthiasson (Reykjavik, Iceland) 297
The stability of gel–emulsions in a water/nonionic surfactant/oil system
H. Kunieda, N. Yano (Yokohama, Japan) and C. Solans (Barcelona, Spain) 313
An infrared investigation of amylxanthate adsorption by pyrite after wet grinding at natural and acid pH
J.M. Cases, P. de Donato, M. Kongolo and L. Michot (Vandoeuvre, France) 323
Effect of temperature on the rupture of Newton black foam films
A. Nikolova, D. Kashchiev and D. Exerowa (Sofia, Bulgaria) 339
Mixed adsorption of cationic and anionic surfactants from aqueous solution on silica gel
Z. Huang, Z. Yan and T. Gu (Beijing, China) 353
The influence of casein on the precipitation of brushite and octacalcium phosphate
M.J.J.M. van Kemenade and P.L. de Bruyn (Utrecht, The Netherlands) 359

Brief Note
The surface tension of water
N.R. Pallas (Cleveland, OH, U.S.A.) and B.A. Pethica (Parsippany, NJ, U.S.A.) 369

Chemical structure and surface activity. Part XIX. The adsorption of alkyl-2-hydroxyethyl sulfides at the aqueous solution–air interface
A. Sokołowski, B. Burczyk (Wrocław, Poland) and J. Beger (Freiberg, G.D.R.) 373
Chemical structure and surface activity. Part XXI. The amphiphilic properties of 2-(2-alkoxyethyl)-2-methyl-4-hydroxymethyl-1,3-dioxolanes
A. Piasecki (Wrocław, Poland) 383
The surface tension components of aqueous alcohol solutions
B. Jańczuk, T. Białopiotrowicz and W. Wójcik (Lublin, Poland) 391
Synthesis, ion exchange behaviour and characterization of chromium(III) arsenosilicate cation exchanger
K.G. Varshney, A.A. Khan and M.S. Siddiqui (Aligarh, India) 405
Micelle–polymer complexes: aggregation numbers, micellar rate effects and factors determining the complexation process
F.M. Witte and J.B.F.N. Engberts (Groningen, The Netherlands) 417
Infrared spectroscopy study of the nature and reactivity of a hydrate coverage on the surface of γ-Al_2O_3
L. Vlaev, D. Damyanov and M.M. Mohamed (Bourgas, Bulgaria) 427
Synthesis of a polystyrene latex with a positive, pH independent, surface charge
J. Blaakmeer and G.J. Fleer (Wageningen, The Netherlands) 439
A solid-phase method for protein determination
M. Wikström (Göteborg, Sweden), H. Elwing, C. Dahlgren, H. von Schenck and I. Lundström (Linköping, Sweden) 449
Phase characterization of mixtures of dioleoylphosphatidylcholine, dioleoylphosphatidylethanolamine and cerebrosides
Md.N. Amin, J.M. Collins (Milwaukee, WI, U.S.A.), W. Tamura-Lis, L.J. Lis (Kent, OH, U.S.A.) and P.J. Quinn (London, United Kingdom) 459

Announcements 469
Author Index 471
Subject Index 473
Contents (Vol. 36) 475